

## CORRIGENDUM

doi:doi:10.1038/nature04100

**Magnetic carbon**

Tatiana L. Makarova, Bertil Sundqvist, Roland Höhne, Pablo Esquinazi, Yakov Kopelevich, Peter Scharff, Valerii A. Davydov, Ludmila S. Kashevarova & Aleksandra V. Rakhmanina

*Nature* 413, 716–718 (2001)

In this Letter, there was a mistake in the presentation of the synthesis conditions of the reported samples. The actual range of the temperatures of synthesis for the four rhombohedral samples was 975–1,025 K. One of the five reported samples was wrongly characterized in relation to the polymerization type: the sample was actually prepared at 2.5 GPa (synthesis temperature, 1,125 K), representing a mixture of the rhombohedral and tetragonal phases with some hard carbon. The error in characterization of this sample weakens our attribution of the ferromagnetism to defects in the rhombohedral phase (Rh-C<sub>60</sub>) but does not influence our main conclusion concerning the observation of magnetism in a carbon solid based on polymerized fullerenes, although its origin and the actual magnitude remain an open question. Also, we were unaware of earlier work on magnetism in polymerized fullerenes<sup>1</sup>, that should have been cited.

T.L.M. takes full responsibility for the misidentification of the sample preparation conditions. We thank A. V. Talyzin for alerting us to this mistake.

1. Murakami, Y. & Suematsu, H. Magnetism of C<sub>60</sub> induced by photo-assisted oxidation. *Pure Appl. Chem.* 68, 1463–1467 (1996).

## CORRIGENDUM

doi:10.1038/nature04099

**Human contribution to the European heatwave of 2003**

P. A. Stott, D. A. Stone & M. R. Allen

*Nature* 432, 610–614 (2004)

The description of the method used for the calculation of the fraction attributable risk (FAR) shown in Fig. 4b is incorrect. The corresponding sentence in the Methods section should read “For the red curve, the response to anthropogenic forcing is also included, and a normal distribution is used to estimate the chance of exceeding the 1.6 K threshold.”

## ERRATUM

doi:10.1038/nature04102

**Measurement of the conductance of single conjugated molecules**

Tali Dadoosh, Yoav Gordin, Roman Krahné, Ilya Khivrich, Diana Mahalu, Veronica Frydman, Joseph Sperling, Amir Yacoby & Israel Bar-Joseph

*Nature* 436, 677–680 (2005)

In Fig. 4a of this Letter, in which the spectra of two BPD dimmers are compared, the scaling on the two *y* axes should have been shifted relative to one another in order to illustrate the point made in the text. The corrected Fig. 4a is shown here.

